

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	979	222/52.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/22 08:45
L2	1786	222/55-56.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/22 08:51
L3	1424	222/145.5-145.7. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/22 09:01
L4	607	222/145.1.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/22 09:13
L5	1263	222/144.5.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/22 09:16
L6	497	222/129.2-129.3. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/22 09:26
L7	1786	222/55-56.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/22 09:34
L8	2450	222/1.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/22 09:42
L9	682	222/109.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/22 09:53
L10	816	222/189.06.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/22 09:59
L11	1491	222/318.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/22 10:06
L12	817	222/190.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/22 10:10
L13	1261	210/650.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/22 10:13
L14	274	210/677.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/22 10:18
L15	145	210/900.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/22 10:21
L16	15283	water and flow and rate and valve and slow and fast and first and second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/22 10:33
L17	192	16 and "222"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/22 10:33

L18	793	16 and "210"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/22 10:41
L34	1	("6245224").PN.	USPAT	OR	OFF	2009/05/22 10:52
L35	0	222/124.4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/22 10:53
L36	508	222/129.4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/22 10:53
S1	1	("5935441").PN.	USPAT	OR	OFF	2007/06/12 14:17
S2	584158	flow near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/12 14:18
S3	332577	S2 and first and second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/12 14:22
S4	5167	S3 and "222"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/12 14:25
S5	2221	S4 and water	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/12 14:52
S6	1883	S5 and valve	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/12 14:54
S7	460	S6 and filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/12 15:40
S8	139	S7 and pump and solenoid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/12 15:41

S9	55	("3122162"   "3317184"   "3659631"   "3688947"   "3703273"   "3920149"   "3948419"   "3949903"   "4486053"   "4487333"   "4550858"   "4664292"   "4665809"   "4718443"   "4766921"   "4798527"   "4821925"   "4890774"   "4955507"   "4979639"   "5000357"   "5012955"   "5033644"   "5033645"   "5062555"   "5068116"   "5102011"   "5106053"   "5251655"   "5303846"   "5312017"   "5332123"   "5360140"   "5454406"   "5566732"   "5603430"   "5730324"   "5731981"   "5823388"   "5842603"   "5868279"   "5960997"   "6092693"   "6116230"   "6220747"   "6354468"   "6364159"   "6374845"   "6412594"   "6450369"   "6536626"   "6550641"   "6550642").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/30 14:45
----	----	---	---------------------------	----	-----	---------------------

S10	5238	water near faucet	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/30 14:45
S11	1092	S10 and filter	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/30 14:46
S12	546	S11 and flow and rate	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/30 14:55
S13	1	S12 and "401"/\$. ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/30 14:48
S14	31	S12 and "222"/\$. ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/30 14:48
S15	10858	different same (flow adj rate) same valve	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/30 14:56
S16	488	S15 and "222"/\$. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/30 14:56
S17	274	S16 and water	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/30 14:57
S18	9	S16 and purification	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/30 14:58
S19	276	purification same water and flow adj rate same valve same different	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/30 14:59
S20	96	purification same water and flow adj rate same valve same different	USPAT	OR	ON	2007/11/30 15:03
S21	7	purification same water and flow adj rate same valve same different same solenoid	USPAT	OR	ON	2007/11/30 15:05
S22	21	purification same water and flow adj rate same valve same different and solenoid	USPAT	OR	ON	2007/11/30 15:18
S23	47	purification same water and flow adj rate same valve same var\$4 and solenoid	USPAT	OR	ON	2007/11/30 16:51

S24	1118	water and flow adj rate same valve same var\$4 and solenoid	USPAT	OR	ON	2007/11/30 20:14
S25	80	S24 and "222"/\$. ccls.	USPAT	OR	ON	2007/11/30 16:55
S26	10	syrup same flow same rate same valve same var\$4 same solenoid	USPAT	OR	ON	2007/11/30 20:25
S27	19	syrup and flow near rate same valve same var\$4 same solenoid	USPAT	OR	ON	2007/11/30 22:16
S28	15	syrup and flow near rate same valve same var\$4 same solenoid and high\$2 and low\$2	USPAT	OR	ON	2007/11/30 23:47
S29	5535	flow near rate same valve same solenoid	USPAT	OR	ON	2007/11/30 23:47
S30	86	S29 and 222/129- 137.ccls.	USPAT	OR	ON	2007/11/30 23:48
S31	250	faucet and water and filter and purif \$3 and mix\$3	USPAT; USOCR	OR	ON	2008/07/31 08:59
S32	14	S31 and "137"/\$. ccls.	USPAT; USOCR	OR	ON	2008/07/31 09:00
S33	1785	222/55-56.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 11:33
S34	971	222/52.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 11:44
S35	2407	222/1.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 11:49
S36	1490	222/318.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:01
S37	681	222/109.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:07
S38	496	222/129.2-129.3. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:18
S39	1251	222/144.5.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:22
S40	595	222/145.1.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:27

S41	814	222/189.06.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:33
S42	1013	222/145.5-145.6. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:39
S43	812	222/190.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:47
S44	516	222/145.7.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:50
S45	495	222/71.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:54
S46	1245	210/650.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:59
S47	273	210/677.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 13:08
S48	145	210/900.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 13:15
S49	2837	laboratory and water and valve and purifi\$6 and first and second and slow and fast and rate and flow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 13:35
S50	4	S49 and "222"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 13:36
S51	138	S49 and "210"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 13:37

5/ 22/ 09 11:12:48 AM

C:\ Documents and Settings\ FNicolas\ My Documents\ EAST\ Workspaces\ 10507166.wsp